FORM PTO-1449 US Dept. of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT (use several sheets if necessary)				ATTORNEY DOCKET NO. ATMI-272-Con		SERIAL NO. 69/768/494 ATBA		PTO 494	
				APPLICANT Peter C. Van Buskirk, et al.				768	
				FILING DATE		GROUP 55		1c97	
				Herewith PATENT DOCUMENTS		<u> </u>	_		
			U.S. I	PATENT DOCUMENTS			FILING IF APPRO	DATE	
EXAMINER		PATENT NUMBER	ISSUE DATE	NAME	CLASS	SUBCLASS	IF APPRO		
INITIAL	AA	5,976,928	11/2/99	Van Buskirk and Kirlin					
Hu _	AB	6,018,065	1/2/00	Baum, et al.					
Acres	AC	5,911,887	6/15/99	Smith, et al.					
Mas	AD	5,814,238	9/29/98	Ashby, et al.					
thuc	AE	4,659,426	4/21/87	Fuller, et al.					
<u></u>	+						<u> </u>		
	-								
				GN PATENT DOCUMENT	<u> </u>	T		LATION	
		DOCUMENT NUMBER	PUBLICATION DATE	COUNTRY	CLASS	SUBCLASS	YES	NO	
					_			 	
	1						 		
	+							-	
							+	-	
						_	 	\	
				Tid I-umal	Data Page	Number, Etc	:.)		
		OTHER DOC	CUMENTS (Inclu	uding Author, Title, Journal gh Dielectric Materials for D	RAM Canaci	itors", Integ. F	erro., 199	7, Vol. 16,	
Pere	ĀF	Koteki, D.E.,	"A Review of Hi	gh Dielectric Materials for Br	Ter tim Cupuc				
Mr.	AC	pp. 1-19.	pp. 1-19. Jeon, et al., "Thermal Stability of Ir/Polycrystalline-Si Structure for Bottom Electrode of Integrated Jeon, et al., "Thermal Stability of Ir/Polycrystalline-Si Structure for Bottom Electrode of Integrated Jeon, et al., "Thermal Stability of Ir/Polycrystalline-Si Structure for Bottom Electrode of Integrated						
	AC	Ferroelectric	Jeon, et al., "Thermal Stability of Ill Polycrystatinic of Ostalia (Polycrystatinic of Ostalia), pp. 467-469. Ferroelectric Capacitors", Appl. Physics Lett., 1997, Vol. 71(4), pp. 467-469. Ferroelectric Capacitors", Appl. Physics Lett., 1997, Vol. 71(4), pp. 467-469.						
	Al	4 Williams, et	Williams, et al., "Etch Rates for Microfflachining Processing, sessions,"						
	Al	Vugts, et al.,	Vugts, et al., "Si/XeF ₂ Etching-Temperature Dependence", 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1996, 1						
	A.	1 P.C. Fazan,	2774 P.C. Fazan, et al., "Stacked Capacitor Modules for 64 Mb DRAMs and Beyond", Semiconductor Inter						
		1992, Vol. 1	1992, Vol. 108, pp. 108-112						
Aul	A	Mag. Ian 1990 pp. 17-26							
				Continue on Page 2	DATE	CONSIDERI	ED AA -A	£ 11/17/	
EXAMIN		Was C	Ila-	er or not citation is in conform	Ar	E CONSIDERI	-7-02/K	Juic)	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

IRM PTO-1449 US Dept. of Commerce				ATTORNEY DOCKET NO. SERIAL NO.						
RM PTO-144	9 Daten	it and Tradema	rk Office	TDV 09/768494						
	raten	it and Trades		ATMI-272-Con		1				
				APPLICANT Peter C. Van Buskirk, et	al					
ORMATION	N DISC	LOSURE STA	ATEMENT	FILING DATE		GROUP				
(use se	everal s	sheets if necess	sary)	FILING DATE						
(use several				TBATBA			196			
			11.5	. PATENT DOCUMENT	S	 _	FILING D	ATE		
		D. CERTAINE	0.5	, TATEM -	i i	SUBCLASS	IF APPROP	RIATE		
AMINER		PATENT NUMBER	ISSUE DATE	NAME	CLASS	Seperate				
NITIAL	+-				\					
						-				
				_						
			1							
										
							 			
			FOR	EIGN PATENT DOCUM	IENTS		TRANSL	ATION		
			PUBLICATIO	N	1	SUBCLASS	YES	NO		
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	ļ			
		NUMBER								
								 		
								ļ		
							+	1		
				mul. f	Date Pag	e Number, Et	c.)			
		OTHER DO	CUMENTS (In	cluding Author, Title, Jo	or Use as MOCV	D Precursors".	Coord. Che	m. Rev.		
	AL	D E Ciavar	e etal "VOIALI	le Darium D'Dine						
Aus	1112	R. E. Sievers, et al., "Volatile Barium B-Diketonates for Use as MOCVD Precursors", <i>Coord. Chem. Rev.</i> , 1993, pp. 285-291. C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, et al., "A Reactive Ion Etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, etch Study for Producing Patterned Platinum Structures", Presented at C. Farrell, etch Study for Producing Patterned Platinum Structures", Presented Active Platinum Structures (Platinum Structures), Presented Plat								
	AM	C. Farrell, et al., "A Reactive Ion Etch Study for Producing Fatterned Transformation of Study In Producing Fatterned Transformation of Study In St								
)		ISIF 96, Ma	ISIF 96, March 18,19,20, 1996 Tempe AZ. (to be published in Integrated Periocicentes). K. R. Milkove and C. X. Wang, "Insight into the dry cleaning of Fence Patterned Platinum Structures", J.							
	AN	Lyr D Million	Tr. D. Millione and C. X. Wally, Insight into the							
		Vac. Sci. Te	Vac. Sci. Tech. A, 1997, Vol. 15(3), pp. 596-603 Chang, F.I., et al., "Gas Phase Silicon Micromachining with Xenon Difluoride", Proc of SPIE, 1995, Vol.							
	AO	Chang, F.L.	Chang, F.I., et al., "Uas Phase Sheon Microscope Control of the Chang, Films with Venon							
		2641, pp. 1	17-126. Let al "Low T	emperature Ion Beam Enh	anced Etching o	t Tungsten Fur	ns with Acid			
	AP	Bensaola, F	Chang, F.I., et al., Sas Francisco (2641, pp. 117-128. Bensaola, A. et al., "Low Temperature Ion Beam Enhanced Etching of Tungsten Films with Xenon Difluoride", <i>Appl. Phys. Lett.</i> , Dec. 1986, Vol. 49(24), pp. 1663-1664 Difluoride", <i>Appl. Phys. Lett.</i> , Dec. 1986, Vol. 49(24), pp. 1663-1664							
	1.0									
AQ G. Stauf, "BaST 103 Etching for Nevanova Report Number, DAAH01-96-C-R035, 1/10/96-1/30/98.										
W.		Kepon iva								
				Continue on Page 3	<u> </u>					
					DA'	TE CONSIDE	RED			
EXAMINE	ER	111	(1/			5-7-1				
T TAXA ZIATI AT		Alla is	100					rough		
		1/1	considered wh	ether or not citation is in co ed. Include copy of this fo	onformance with	MPEP § 609,	the applican	it.		

FORM PTO-1	449 Pat	US Dept. of C	ommerce ark Office	ATTORNEY DOCKET NO.	SERIAL NO. 09/768,494					
	,			ATMI-272-Con		TBA .				
		- COLUDE OF	ATEMENT	APPLICANT Peter C. Van Buskirk, et al.						
		SCLOSURE ST.		FILING DATE		GROUP				
(use	severa	al sheets if neces	sary)	TIEINO DATE	1	1746				
				Herewith	TBAC					
			U.S.	PATENT DOCUMENTS			FILING DATE			
EXAMINER	PATENT			NAME	SUBCLASS IF APPROPRIATE					
INITIAL		NUMBER	ISSUE DATE	NAME	CLASS	Sebellass				
										
					\leftarrow					
				GN PATENT DOCUMENT	<u>S</u>		TRANSLATION			
		DOCUMENT	PUBLICATION	COUNTRY	CLASS	SUBCLASS	YES NO			
		NUMBER	DATE	COCKTAC						
						-				
					<u> </u>					
	L									
						<u> </u>	 			
	1	OTHER DOC	UMENTS (Inch	iding Author, Title, Journal	Date, Page	Number, Etc.	o) midium Carbonyle			
	AR		7.7 1 U.C	antion of Indium Eluoroacyl L	omniexes ov	Reaction of i	Hululli Carbony is			
Alio	i	Ebsworth, E.A.V., et al., "Formation of Indian Fluoroacy Complexes", J. Chem. Soc., with Xenon Difluoride and Reactions of these to Generate Unusual Acyl Complexes", J. Chem. Soc., Dalton Trans., 1993, ISS. 7, pp. 1031-7								
pu	ļ	Dalton Trans.	, 1993, ISS. /, pj	ion of an Iridium Carbonyl Complex with Xenon Difluoride: The First						
1	AS	Blake, A.J., et al., "Novel Reaction of an Iridium Carbonyl Complex with Xenon Difluoride: The First Metal Fluoroacyl Complex", <i>J. Chem. Soc.</i> , Chem. Commun., 1988, ISS.8, pp. 529-530								
<u> </u>	+ -	Metal Fluoroa	ot al. " Venon	Difluoride as a Fluoride Ion De	onor" J. Cher	n. Soc. A, 196	9, Vol. 14, pp. 2179-			
	AT	1 00								
	A·U	Flort Chang	et al., Gas-Phas	se Silieon Micromachining wit	h Xenon Dif	uoride, Proc.	Of SPIE vol. 2641,			
Anc	40	Floy I. Chang, et al., Gas-Phase Silicon Micromachining with Xenon Diffuoride, Proc. Of SPIE vol. 2641 pp. 117-128. DUP: ICATE AC on Proc. 243								
<u> </u>		1	100		T					
				Continue on Page						
		-A11/-			DATE	CONSIDERE	D			
EXAMINE	K 1	Man W	0/02	·-		5-7-02				
	$ \nearrow$						aw line through			
EXAMINE	R: Init	tial if citation co	nsidered, whether	r or not citation is in conforma	ince with MF	EP § 609; Dr	aw nne unougn e applicant			
citation if n	ot in co	onformance and	not considered.	Include copy of this form with	next commt	inication to th	с аррисана			